



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/580,327	05/26/2000	Ralf D. Steinbach	020431.0698	8166	
7590 -12/06/2004			EXAM	EXAMINER	
Baker Botts LLP			WASSUM, LUKE S		
2001 Ross Avenue Dallas, TX 75201-2980			ART UNIT	PAPER NUMBER	
			2167	2167	
		DATE MAILED: 12/06/2004			

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	09/580,327	STEINBACH, RALF D.				
Office Action Summary	Examiner	Art Unit				
	Luke S. Wassum	2167				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply if NO period for reply is specified above, the maximum statutory period was realized to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be tim within the statutory minimum of thirty (30) days fill apply and will expire SIX (6) MONTHS from to cause the application to become ABANDONED	ely filed swill be considered timely. he mailing date of this communication. 0 (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 01 July 2004.						
2a)⊠ This action is FINAL . 2b)☐ This	☐ This action is FINAL . 2b) ☐ This action is non-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
 4) Claim(s) 1-4,6,7,9-11,13-21,23,24,26-28,30-36 and 38-43 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) 1-4,6,7,9-11,13-21,23,24,26-28,30-36 and 38-43 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement. 						
Application Papers						
9) The specification is objected to by the Examiner 10) The drawing(s) filed on 26 May 2000 is/are: a) Applicant may not request that any objection to the of Replacement drawing sheet(s) including the correction 11) The oath or declaration is objected to by the Examiner	☑ accepted or b)☐ objected to b drawing(s) be held in abeyance. See on is required if the drawing(s) is obje	37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
						
Attachment(s)						
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)	4) Interview Summary (Paper No(s)/Mail Dat 5) Notice of Informal Pa	e				
Paper No(s)/Mail Date	6) Other:	and the same of th				

Application/Control Number: 09/580,327 Page 2

Art Unit: 2167

DETAILED ACTION

Response to Amendment

- 1. The Applicant's amendment, filed 1 July 2004, has been received, entered into the record, and considered.
- 2. As a result of the amendment, claims 1, 9, 18, 26, 32, 33, 38 and 43 have been amended, and claims 8, 25 and 37 have been canceled. Claims 5, 12, 22 and 29 have been previously canceled. Claims 1-4, 6, 7, 9-11, 13-21, 23, 24, 26-28, 30-36 and 38-43 remain pending in the application.

The Invention

3. The claimed invention is a system for retrieving data from a database using a data management system including a change retrieval engine.

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Art Unit: 2167

5. Claims 1-3, 7, 9, 13-16, 18-20, 24, 26, 30, 32-34, 36, 38, 41 and 43 are rejected under 35 U.S.C. 102(e) as being anticipated by **Mukhopadhyay et al.** (U.S. Patent 6,032,158).

Page 3

- 6. Regarding claim 1, Mukhopadhyay et al. teaches a system for retrieving data from a database using a data management system as claimed, comprising:
 - a) a change retrieval engine coupled to the database using a data management system and operable to:
 - i) determine that data in the database managed by the data management system has been changed (see col. 3, line 67 through col. 4, line 2; see also col. 7, lines 32-53);
 - ii) receive information from the data management system identifying a particular business object with which the changed data is associated, the received information including one or more key values identifying a plurality of instances of the particular business, each of the plurality of instances of the particular business object being associated with at least a portion of the changed data (see disclosure that the log transfer manager scans the server log and forwards the changes of the operational database to the capture process, col. 7, lines 35-46; see also builder process receives changes made to the source tables of the operational database, including information that identifies the business object modified [that is, the source table modified is received, and using the mapping information in the repository, the source table is mapped to a target table(s), said target table corresponding to and indicating the business object(s) embodied in the changed source table], and information that identifies the

Art Unit: 2167

particular business object modified [that is, a key field identifying the source table record modified, information that is required for the builder process to later retrieve related data], see col. 7, lines 47-67; see also col. 8, line 59 through col. 9, line 30; see disclosure that when data in a source table changes, the changes are staged in the corresponding dynamic image table, col. 7, lines 35-46; see also disclosure that the dynamic image table is identical to the source table, thus including any key values, col. 5, line 62 through col. 6, line 9);

- iii) access a data model specifying, for each of a plurality of business objects maintained by the data management system, the plurality of business objects including the particular business object, references to one or more tables managed by the data management system that include data related to one or more instances of that business object (see disclosure that the repository, analogous to the claimed data model, contains mapping information relating to how data is to be mapped and transformed from source tables of the operational database to target tables of the data marts, col. 3, lines 47-56; see also col. 4, lines 9-12; see also col. 7, lines 49-57 et seq., said target tables corresponding to and indicating the business object(s) contained in the operational database, and for each business object, identifying the corresponding source table(s) that contain data related to the specific business object);
- iv) identify according to the data model the tables specified for the plurality of instances of the particular business object that are identified by the one or more key values received from the data management system to identify data to be

Art Unit: 2167

retrieved from the database using the data management system according to the received information (see col. 4, lines 9-12 et seq.; see also disclosure at col. 10, lines 18-51, and also Figure 8, that the mapping information of the repository contains references that link the source table(s) that contains information related to a specific target table(s), said target tables corresponding to and indicating the business object(s) contained in the operational database);

- v) request from the data management system the data to be retrieved included in the tables identified according to the data model (see disclosure that the capture process stages any changes made to the operational database in the dynamic image tables, col. 7, lines 37-41; see also disclosure that the builder process subsequently ensures that all related data is staged in the static image tables, and if said related data is not present, it will be retrieved, col. 7, lines 49-57);
- vi) receive the data from the data management system (see col. 7, lines 37-41 and lines 49-57 et seq.);
- vii) store the data in the data log (see col. 7, lines 37-41 and lines 49-57 et seq., the disclosed static and dynamic image tables of the change data capture (CDC) database being analogous to the claimed data log); and
- viii) communicate a transfer command (see disclosure that it is crucial that data changes be propagated as quickly as possible, col. 2, lines 10-15; see also disclosure that after data has been staged in the CDC database, the changes are propagated to the target data marts via extract, transform and load process, col. 7, lines 65-67; see also col. 8, lines 9-18; see also disclosure that the data marts are updated incrementally for critical real-time warehousing, col. 4, lines 13-16);

and

- b) a change transfer engine coupled to the change retrieval engine and operable to:
 - i) receive the transfer command (see disclosure that it is crucial that data changes be propagated as quickly as possible, col. 2, lines 10-15; see also disclosure that after data has been staged in the CDC database, the changes are propagated to the target data marts via extract, transform and load process, col. 7, lines 65-67; see also col. 8, lines 9-18; see also disclosure that the data marts are updated incrementally for critical real-time warehousing, col. 4, lines 13-16);
 - ii) obtain the data from the data log (see col. 4, lines 1-7 and 54-58, the CCDB/CDC database being analogous to the claimed data log);
 - iii) communicate the data to an external system distinct from the data management system (see col. 4, lines 13-15, data marts 206-209 being analogous to the claimed external system).
- 7. Regarding claim 18, Mukhopadhyay et al. teaches a method for retrieving data from a database using a data management system as claimed, comprising:
 - a) determining that data in the database managed by the data management system has been changed (see col. 3, line 67 through col. 4, line 2; see also col. 7, lines 32-53);
 - b) receiving information from the data management system identifying a particular business object with which the changed data is associated, the received information including one or more key values identifying a plurality of instances of the particular business, each of the plurality of instances of the particular business object being associated with at least a portion of the changed data (see disclosure that the log transfer

Art Unit: 2167

manager scans the server log and forwards the changes of the operational database to the capture process, col. 7, lines 35-46; see also builder process receives changes made to the source tables of the operational database, including information that identifies the business object modified [that is, the source table modified is received, and using the mapping information in the repository, the source table is mapped to a target table(s), said target table corresponding to and indicating the business object(s) embodied in the changed source table], and information that identifies the particular business object modified [that is, a key field identifying the source table record modified, information that is required for the builder process to later retrieve related data], see col. 7, lines 47-67; see also col. 8, line 59 through col. 9, line 30; see disclosure that when data in a source table changes, the changes are staged in the corresponding dynamic image table, col. 7, lines 35-46; see also disclosure that the dynamic image table is identical to the source table, thus including any key values, col. 5, line 62 through col. 6, line 9);

c) accessing a data model specifying, for each of a plurality of business objects maintained by the data management system, the plurality of business objects including the particular business object, references to one or more tables managed by the data management system that include data related to one or more instances of that business object (see disclosure that the repository, analogous to the claimed data model, contains mapping information relating to how data is to be mapped and transformed from source tables of the operational database to target tables of the data marts, col. 3, lines 47-56; see also col. 4, lines 9-12; see also col. 7, lines 49-57 et seq., said target tables corresponding to and indicating the business object(s) contained in the operational

Page 8

Art Unit: 2167

- database, and for each business object, identifying the corresponding source table(s) that contain data related to the specific business object);
- d) identifying according to the data model the tables specified for the plurality of instances of the particular business object that are identified by the one or more key values received from the data management system to identify data to be retrieved from the database using the data management system according to the received information (see col. 4, lines 9-12 et seq.; see also disclosure at col. 10, lines 18-51, and also Figure 8, that the mapping information of the repository contains references that link the source table(s) that contains information related to a specific target table(s), said target tables corresponding to and indicating the business object(s) contained in the operational database);
- e) requesting from the data management system the data to be retrieved including the tables identified according to the data model (see disclosure that the capture process stages any changes made to the operational database in the dynamic image tables, col. 7, lines 37-41; see also disclosure that the builder process subsequently ensures that all related data is staged in the static image tables, and if said related data is not present, it will be retrieved, col. 7, lines 49-57); and
- f) communicating the data to an external system distinct from the data management system (see col. 4, lines 13-15, data marts 206-209 being analogous to the claimed external system).
- 8. Regarding claim 32, **Mukhopadhyay et al.** teaches a system for retrieving data from a database using a data management system as claimed, comprising:

Page 9

Art Unit: 2167

- a) a database operable to store data (see col. 3, lines 41-47);
- b) a data management system operable to access and change the data in the database (see col. 3, lines 41-47); and
- c) a data access interface system operable to:
 - i) receive information from the data management system identifying a particular business object with which the changed data is associated, the received information including one or more key values identifying a plurality of instances of the particular business, each of the plurality of instances of the particular business object being associated with at least a portion of the changed data (see disclosure that the log transfer manager scans the server log and forwards the changes of the operational database to the capture process, col. 7, lines 35-46; see also builder process receives changes made to the source tables of the operational database, including information that identifies the business object modified [that is, the source table modified is received, and using the mapping information in the repository, the source table is mapped to a target table(s), said target table corresponding to and indicating the business object(s) embodied in the changed source table, and information that identifies the particular business object modified [that is, a key field identifying the source table record modified, information that is required for the builder process to later retrieve related data, see col. 7, lines 47-67; see also col. 8, line 59 through col. 9, line 30; see disclosure that when data in a source table changes, the changes are staged in the corresponding dynamic image table, col. 7, lines 35-

Page 10

Art Unit: 2167

46; see also disclosure that the dynamic image table is identical to the source table, thus including any key values, col. 5, line 62 through col. 6, line 9);

- ii) access a data model specifying, for each of a plurality of business objects maintained by the data management system, the plurality of business objects including the particular business object, references to one or more tables managed by the data management system that include data related to one or more instances of that business object (see disclosure that the repository, analogous to the claimed data model, contains mapping information relating to how data is to be mapped and transformed from source tables of the operational database to target tables of the data marts, col. 3, lines 47-56; see also col. 4, lines 9-12; see also col. 7, lines 49-57 et seq., said target tables corresponding to and indicating the business object(s) contained in the operational database, and for each business object, identifying the corresponding source table(s) that contain data related to the specific business object);
- iii) identify according to the data model the tables specified for the plurality of instances of the particular business object that are identified by the one or more key values received from the data management system to identify data to be retrieved from the database using the data management system according to the received information (see col. 4, lines 9-12 et seq.; see also disclosure at col. 10, lines 18-51, and also Figure 8, that the mapping information of the repository contains references that link the source table(s) that contains information

Application/ Control (vulnoe): 07/ 380,.

Art Unit: 2167

Page 11

related to a specific target table(s), said target tables corresponding to and indicating the business object(s) contained in the operational database);

- iv) request from the data management system the data to be retrieved included in the tables identified according to the data model (see disclosure that the capture process stages any changes made to the operational database in the dynamic image tables, col. 7, lines 37-41; see also disclosure that the builder process subsequently ensures that all related data is staged in the static image tables, and if said related data is not present, it will be retrieved, col. 7, lines 49-57); and
- v) communicate the data to an external system distinct from the data management system (see col. 4, lines 13-15, data marts 206-209 being analogous to the claimed external system).
- 9. Regarding claim 33, Mukhopadhyay et al. teaches software for retrieving data from a database using a data management system as claimed, the software being embodied in computer-readable media and when executed operable to:
 - a) determine that data in the database managed by the data management system has been changed (see col. 3, line 67 through col. 4, line 2; see also col. 7, lines 32-53);
 - b) receive information from the data management system identifying a particular business object with which the changed data is associated, the received information including one or more key values identifying a plurality of instances of the particular business, each of the plurality of instances of the particular business object being associated with at least a portion of the changed data (see disclosure that the log transfer manager scans the server log and forwards the changes of the operational database to

the capture process, col. 7, lines 35-46; see also builder process receives changes made to the source tables of the operational database, including information that identifies the business object modified [that is, the source table modified is received, and using the mapping information in the repository, the source table is mapped to a target table(s), said target table corresponding to and indicating the business object(s) embodied in the changed source table], and information that identifies the particular business object modified [that is, a key field identifying the source table record modified, information that is required for the builder process to later retrieve related data], see col. 7, lines 47-67; see also col. 8, line 59 through col. 9, line 30; see disclosure that when data in a source table changes, the changes are staged in the corresponding dynamic image table, col. 7, lines 35-46; see also disclosure that the dynamic image table is identical to the source table, thus including any key values, col. 5, line 62 through col. 6, line 9);

c) access a data model specifying, for each of a plurality of business objects maintained by the data management system, the plurality of business objects including the particular business object, references to one or more tables managed by the data management system that include data related to one or more instances of that business object (see disclosure that the repository, analogous to the claimed data model, contains mapping information relating to how data is to be mapped and transformed from source tables of the operational database to target tables of the data marts, col. 3, lines 47-56; see also col. 4, lines 9-12; see also col. 7, lines 49-57 et seq., said target tables corresponding to and indicating the business object(s) contained in the operational

Application Control Number: 07/ 380,327

Art Unit: 2167

database, and for each business object, identifying the corresponding source table(s) that contain data related to the specific business object);

Page 13

- d) identify according to the data model the tables specified for the plurality of instances of the particular business object that are identified by the one or more key values received from the data management system to identify data to be retrieved from the database using the data management system according to the received information (see col. 4, lines 9-12 et seq.; see also disclosure at col. 10, lines 18-51, and also Figure 8, that the mapping information of the repository contains references that link the source table(s) that contains information related to a specific target table(s), said target tables corresponding to and indicating the business object(s) contained in the operational database);
- e) request from the data management system the data to be retrieved included in the tables identified according to the data model (see disclosure that the capture process stages any changes made to the operational database in the dynamic image tables, col. 7, lines 37-41; see also disclosure that the builder process subsequently ensures that all related data is staged in the static image tables, and if said related data is not present, it will be retrieved, col. 7, lines 49-57);
- f) receive the requested data from the data management system (see col. 7, lines 37-41 and lines 49-57 et seq.); and
- g) communicate the received data to an external system distinct from the data management system (see col. 4, lines 13-15, data marts 206-209 being analogous to the claimed external system).

Page 14

Art Unit: 2167

- 10. Regarding claim 43, Mukhopadhyay et al. teaches a system for retrieving data from a database using a data management system as claimed, comprising:
 - a) means for determining that data in the database managed by the data management system has been changed (see col. 3, line 67 through col. 4, line 2; see also col. 7, lines 32-53);
 - b) means for receiving information from the data management system identifying a particular business object with which the changed data is associated, the received information including one or more key values identifying a plurality of instances of the particular business, each of the plurality of instances of the particular business object being associated with at least a portion of the changed data (see disclosure that the log transfer manager scans the server log and forwards the changes of the operational database to the capture process, col. 7, lines 35-46; see also builder process receives changes made to the source tables of the operational database, including information that identifies the business object modified [that is, the source table modified is received, and using the mapping information in the repository, the source table is mapped to a target table(s), said target table corresponding to and indicating the business object(s) embodied in the changed source table], and information that identifies the particular business object modified [that is, a key field identifying the source table record modified, information that is required for the builder process to later retrieve related data], see col. 7, lines 47-67; see also col. 8, line 59 through col. 9, line 30; see disclosure that when data in a source table changes, the changes are staged in the corresponding dynamic image table, col. 7, lines 35-46; see also disclosure that the dynamic image table is identical to the source table, thus including any key values, col. 5, line 62 through col. 6, line 9);

Art Unit: 2167

Page 15

c) means for accessing a data model specifying, for each of a plurality of business objects maintained by the data management system, the plurality of business objects including the particular business object, references to one or more tables managed by the data management system that include data related to one or more instances of that business object (see disclosure that the repository, analogous to the claimed data model, contains mapping information relating to how data is to be mapped and transformed from source tables of the operational database to target tables of the data marts, col. 3, lines 47-56; see also col. 4, lines 9-12; see also col. 7, lines 49-57 et seq., said target tables corresponding to and indicating the business object(s) contained in the operational database, and for each business object, identifying the corresponding source table(s) that contain data related to the specific business object);

- d) means for identifying according to the data model the tables specified for the plurality of instances of the particular business object that are identified by the one or more key values received from the data management system to identify data to be retrieved from the database using the data management system according to the received information (see col. 4, lines 9-12 et seq.; see also disclosure at col. 10, lines 18-51, and also Figure 8, that the mapping information of the repository contains references that link the source table(s) that contains information related to a specific target table(s), said target tables corresponding to and indicating the business object(s) contained in the operational database);
- e) means for requesting from the data management system the data to be retrieved included in the tables identified according to the data model (see disclosure that the capture process stages any changes made to the operational database in the dynamic image

Application/Control Number: 09/580,327 Page 16

Art Unit: 2167

tables, col. 7, lines 37-41; see also disclosure that the builder process subsequently ensures that all related data is staged in the static image tables, and if said related data is not present, it will be retrieved, col. 7, lines 49-57);

- f) means for receiving the requested data from the data management system (see col. 7, lines 37-41 and lines 49-57 et seq.); and
- g) means for communicating the received data to an external system distinct from the data management system (see col. 4, lines 13-15, data marts 206-209 being analogous to the claimed external system).
- 11. Regarding claims 2 and 19, **Mukhopadhyay et al.** additionally teaches a system and method wherein the data management system comprises an enterprise resource planning (ERP) system, and the external system comprises an external planning system (see disclosure that the system is used for various aspects of business, such as inventory control, payroll and billing, col. 3, lines 35-41; see also disclosure that the data mart, analogous to the claimed external system, contains a subset of corporate data for a single aspect of business, such as finance, sales, inventory or human resources, col. 1, lines 45-48. These disclosures illustrate the fact that the system of **Mukhopadhyay et al.** comprises an enterprise resource planning (ERP) system, and that the external system comprises an external planning system, as claimed.
- 12. Regarding claims 3, 20 and 34, Mukhopadhyay et al. additionally teaches a system, method and software wherein the change retrieval engine is further operable to monitor the data management system to determine when a change document is created, the change document indicating that data managed by the data management system has been changed (see disclosure that

Art Unit: 2167

the log transfer manager scans the server log and forwards changes of the operational database to the capture process, col. 7, lines 34-37, the system log records being analogous to the claimed

Page 17

change document).

- 13. Regarding claims 7, 24 and 36, Mukhopadhyay et al. additionally teaches a system, method and software wherein the business objects are identified in the data model by a name of a main table of data associated with the business object in the data management system (see disclosure that data is mapped from source tables to target tables identified by table names, col. 10, lines 18-51, said target tables corresponding to and indicating the associated business object(s); see also Figure 8).
- Regarding claims 9, 26 and 38, Mukhopadhyay et al. additionally teaches a system, method and software wherein the change retrieval engine is further operable to request data from the tables that are associated with one or more instances of the particular business object that are identified by the one or more key values from the data management system (see disclosure that when data in a source table changes, the changes are staged in the corresponding dynamic image table, col. 7, lines 35-46; see also disclosure that the dynamic image table is identical to the source table, thus including any key values, col. 5, line 62 through col. 6, line 9; see also disclosure that when committed data changes have been staged in the dynamic image table, the builder process retrieves any related data from the operational database and stages it in the static image table, col. 7, lines 49-57 et seq.).
- 15. Regarding claims 13 and 41, Mukhopadhyay et al. additionally teaches a system and software wherein the change retrieval engine is further operable to access the distribution model to determine one or more serialization groups into which the data identified by the data model is to be

Art Unit: 2167

Page 18

divided, and store the data received from the data management system in the data log according to the serialization groups (see disclosure that the repository keeps track of mapping information for how data is to be mapped from target tables of the operational databases to target tables of the data marts, said data marts being analogous to the claimed external systems, col. 3, lines 47-52; see also col. 4, lines 2-7; see also disclosure of the use of transaction ids and log sequence numbers in preserving the transaction order when changes are propagated to the data mart, analogous to the claimed use of serialization groups, col. 5, lines 30-33; see also col. 6, lines 36-42).

- 16. Regarding claim 30, Mukhopadhyay et al. additionally teaches a method wherein the change retrieval engine is further operable to access the distribution model to determine one or more serialization groups into which the data identified by the data model is to be divided, the distribution model is accessed to determine destination information for one or more external systems to which the serialization groups is to be communicated, and store the data received from the data management system in the data log according to the serialization groups (see disclosure that the repository keeps track of mapping information for how data is to be mapped from target tables of the operational databases to target tables of the data marts, said data marts being analogous to the claimed external systems, col. 3, lines 47-52; see also col. 4, lines 2-7; see also disclosure of the use of transaction ids and log sequence numbers in preserving the transaction order when changes are propagated to the data mart, analogous to the claimed use of serialization groups, col. 5, lines 30-33; see also col. 6, lines 36-42; see also col. 9, lines 35-54).
- 17. Regarding claim 14, Mukhopadhyay et al. additionally teaches a method wherein the change retrieval engine is further operable to access the distribution model to determine destination

Art Unit: 2167

Page 19

information for one or more external systems to which the data in the serialization groups is to be communicated, and store the destination information for the one or more external systems with the serialization groups in the data log (see disclosure that the repository keeps track of mapping information for how data is to be mapped from target tables of the operational databases to target tables of the data marts, said data marts being analogous to the claimed external systems, col. 3, lines 47-52; see also col. 4, lines 2-7; see also disclosure of the use of transaction ids and log sequence numbers in preserving the transaction order when changes are propagated to the data mart, analogous to the claimed use of serialization groups, col. 5, lines 30-33; see also col. 6, lines 36-42; see also col. 9, lines 35-54; see also the disclosure that the mapping_id and target_id, analogous to the claimed destination information, is stored with the serialization information in the data log, col. 9, lines 35-54).

18. Regarding claim 15, Mukhopadhyay et al. additionally teaches a method wherein the change transfer engine is further operable to communicate the serialization groups to the external system identified by the destination information, the data in the serialization group communicated to the associated external system in the order that the data in the database was changed (see disclosure that the repository keeps track of mapping information for how data is to be mapped from target tables of the operational databases to target tables of the data marts, said data marts being analogous to the claimed external systems, col. 3, lines 47-52; see also col. 4, lines 2-7; see also disclosure of the use of transaction ids and log sequence numbers in preserving the transaction order when changes are propagated to the data mart, analogous to the claimed use of serialization groups, col. 5, lines 30-33; see also col. 6, lines 36-42; see also col. 9, lines 35-54).

Application/Control Number: 09/580,327 Page 20

Art Unit: 2167

19. Regarding claim 16, Mukhopadhyay et al. additionally teaches a method wherein the change transfer engine is further operable to access the distribution model to determine destination information for one or more external systems to which the data in the serialization groups is to be communicated, and communicate to the associated external system in the order that the data in the database was changed (see disclosure that the repository keeps track of mapping information for how data is to be mapped from target tables of the operational databases to target tables of the data marts, said data marts being analogous to the claimed external systems, col. 3, lines 47-52; see also col. 4, lines 2-7; see also disclosure of the use of transaction ids and log sequence numbers in preserving the transaction order when changes are propagated to the data mart, analogous to the claimed use of serialization groups, col. 5, lines 30-33; see also col. 6, lines 36-42; see also col. 9, lines 35-54).

Claim Rejections - 35 USC § 103

- 20. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 21. The factual inquiries set forth in *Graham* v. *John Deere Ca.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - 1. Determining the scope and contents of the prior art.

- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 22. Claims 4, 21 and 35 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mukhopadhyay et al. (U.S. Patent 6,032,158) as applied to claims 1-3, 7, 9, 13-16, 18-20, 24, 26, 30, 32-34, 36, 38, 41 and 43 above, and further in view of Gerard et al. (U.S. Patent 6,192,368).
- 23. Regarding claims 4, 21 and 35, Mukhopadhyay et al. teaches a system, method and software substantially as claimed.

Mukhopadhyay et al. does not explicitly teach a system, method and software wherein the data management system sends messages to indicate when data has been changed.

Gerard et al., however teaches a system wherein system, method and software wherein the data management system sends messages to indicate when data has been changed (see col. 6, line 66 through col. 7, line 5).

It would have been obvious to one of ordinary skill in the art at the time of the invention to combine the references, since they are both in the same field of endeavor, that is, the replication of data changes (see Mukhopadhyay et al., Abstract; see also Gerard et al., Abstract).

Furthermore, it would have been obvious to one of ordinary skill in the art at the time of the invention to notify interested processes when data of interest has changed, since this would save the process the need to monitor a log or file by periodically checking for the existence of new data, but

Art Unit: 2167

Page 22

instead can wait for the receipt of a notification on the occasion when data has been changed, thus providing the advantage of saving processing time.

- 24. Claims 6, 10, 11, 23, 27, 28, 39 and 40 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mukhopadhyay et al. (U.S. Patent 6,032,158) as applied to claims 1-3, 7, 9, 13-16, 18-20, 24, 26, 30, 32-34, 36, 38, 41 and 43 above, and further in view of Zamanian et al. (U.S. Patent 6,339,775).
- 25. Regarding claims 6 and 23, **Mukhopadhyay et al.** teaches a system and method substantially as claimed.

Mukhopadhyay et al. does not explicitly teach a system and method wherein the business objects are identified in the data model by a business object name.

Zamanian et al., however teaches a system and method wherein the business objects are identified in the data model by a business object name (see col. 2, lines 65-67; see also col. 6, lines 55-58; see also the example wherein the business object is identified by object name tg_profits, at col. 8, lines 1-17 and in Figure 6; see also col. 14, lines 9-19 and Figure 4).

It would have been obvious to one of ordinary skill in the art at the time of the invention to combine the references, since the two are in the same field of endeavor, that is, a system for propagating data changes, as well as incorporating data transformations between the data source(s) and the data target(s) (see Mukhopadhyay et al., Abstract; see also Zamanian et al., Abstract).

Furthermore, it would have been obvious to one of ordinary skill in the art at the time of the invention to identify business objects by the business object name, since in the object oriented programming environment, the object name would be necessary for accessing the specific object in the database.

26. Regarding claims 10, 27 and 39, **Mukhopadhyay et al.** teaches a system, method and software substantially as claimed.

Mukhopadhyay et al. does not explicitly teach a system, method and software wherein the change retrieval engine is further operable to apply field reductions to the tables identified according to the data model, the field reductions indicating one or more fields of the tables containing desired data, and requesting from the data management system data from the fields indicated as containing desired data.

Zamanian et al., however, teaches a system, method and software wherein the change retrieval engine is further operable to apply field reductions to the tables identified according to the data model, the field reductions indicating one or more fields of the tables containing desired data, and requesting from the data management system data from the fields indicated as containing desired data (see description of the aggregator transformation, col. 10, lines 1-36, and particularly the designation of specific fields as either INOUT, IN or OUT, col. 10, lines 27-32; see also the specific example of the ag_prodprof aggregator 603 in Figure 6, and described at col. 6, line 64 through col. 7, line 4).

It would have been obvious to one of ordinary skill in the art at the time of the invention to allow field reductions, since the external system might not require all data available in a given source table (see Zamanian et al., col. 1, lines 33-51), and often the source system and the target system has conflicting formats, structures or configurations due to hardware, software or vendor differences (see Zamanian et al., col. 17, lines 4-19), thus necessitating field reduction to remove those data fields that are unnecessary or incompatible with the target system.

27. Regarding claims 11, 28 and 40, Mukhopadhyay et al. teaches a system, method and software substantially as claimed.

Mukhopadhyay et al. does not explicitly teach a system, method and software wherein the change retrieval engine is further operable to apply field filters to the tables identified according to the data model, the field filters indicating the desired data in the tables, and requesting from the data management system data the desired data.

Zamanian et al., however, teaches a system, method and software wherein the change retrieval engine is further operable to apply field filters to the tables identified according to the data model, the field filters indicating the desired data in the tables, and requesting from the data management system data the desired data (see description of the Filter Transformation, col. 10, line 65 through col. 11, line 21).

It would have been obvious to one of ordinary skill in the art at the time of the invention to implement field filters, since this would allow the system to filter the source data to remove

Art Unit: 2167

extraneous or erroneous records before loading the data into the target system (see col. 1, lines 37-40), thus improving data integrity.

- 28. Claims 17, 31 and 42 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mukhopadhyay et al. (U.S. Patent 6,032,158) as applied to claims 1-3, 7, 9, 13-16, 18-20, 24, 26, 30, 32-34, 36, 38, 41 and 43 above, and further in view of Chang et al. (U.S. Patent 6,308,178).
- 29. Regarding claims 17, 31 and 42, **Mukhopadhyay et al.** teaches a system, method and software for retrieving data substantially as claimed.

Mukhopadhyay et al. does not explicitly teach a system, method and software for retrieving data wherein an error log is created if the data is not communicated to the external system, and data associated with the error is communicated to the external system before communicating additional data.

Chang et al., however, teaches a system, method and software for retrieving data wherein an error log is created if the data is not communicated to the external system, and data associated with the error is communicated to the external system before communicating additional data (see discussion of the validator, col. 9, lines 26-40).

It would have been obvious to one of ordinary skill in the art at the time of the invention to communicate errors in transmission to the external system, since this would allow the external system to take some remedial action to resynchronize the data between the two systems, and

Application/Control Number: 09/580,327 Page 26

Art Unit: 2167

furthermore because in the absence of such a message the external system would be out of sync with the server, and would have the potential to present erroneous data to a user.

Response to Arguments

- 30. Applicant's arguments filed 1 July 2004 have been fully considered but they are not persuasive.
- 31. Regarding the Applicant's argument that the Mukhopadhyay et al. reference fails to teach an engine operable to receive information from the data management system identifying a particular business object with which the changed data is associated, the received information including one or more key values identifying a plurality of instances of the particular business object being associated with at least a portion of the changed data (page 14, paragraph 2 of the response), the examiner respectfully disagrees.

The Mukhopadhyay et al. reference teaches a system whereby data in operational databases is changed, those changes are captured, and the appropriate changes are then propagated to any corresponding data marts which contain data corresponding to that changed. The fact that key values which identify instances of business objects associated with the changed data is a prerequisite to performing any data update propagation process. Without the claimed key values, there would be no way for the data propagation process to know what records in the data marts corresponded to the changed data, and so could not perform the data change propagation that the reference teaches.

32. Regarding the Applicant's argument that the **Mukhopadhyay et al.** reference fails to teach multiple instances of a particular business object (page 15, second paragraph et seq. of the response), the examiner respectfully disagrees.

At col. 1, lines 26-59, and particularly lines 28-29, and furthermore at col. 3, lines 49-54, and most explicitly at col. 10, line 66 through col. 11, 2 "...method for efficiently capturing and propagating changes made upon an operational database to *one or more target datamarts...*" the reference teaches the fact that a single change may need to be propagated to multiple data marts, illustrating the fact that a business object may be instantiated at multiple data marts. If a change in the operational database (to a business object) requires the propagation of change data to multiple data marts, then clearly there exist multiple instances of the changed business object.

Conclusion

33. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Luke S. Wassum whose telephone number is 571-272-4119. The examiner can normally be reached on Monday-Friday 8:30-5:30, alternate Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John E. Breene can be reached on 571-272-4107. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Luke S. Wassum Primary Examiner

Jule & Wassur

Art Unit 2167

lsw

1 December 2004